

MERLIN GLASS RENOVATOR

Page: 1

Compilation date: 10/12/2013

Revision date: 18/03/2015

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MERLIN GLASS RENOVATOR

Product code: 021.007

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name:	Oxford City Supplies Ltd
	Unit 6 Centremead
	Osney Mead Industrial Estate
	Oxford
	Oxfordshire
	OX2 0ES
	United Kingdom
Tel:	+44 (0) 1865 722 104
Fax:	+44 (0) 1865 790 543
Email:	sales@oxfordcitysupplies.com

1.4. Emergency telephone number

Emergency tel: NHS Direct:08454647,NHS24:0845242424,ROI:018092166

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; Aquatic Acute 1: H400; -: EUH031

Most important adverse effects: Contact with acids liberates toxic gas. Causes severe skin burns and eye damage. Very toxic to aquatic life.

2.2. Label elements

Label elements:

Hazard statements: EUH031: Contact with acids liberates toxic gas.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental



MERLIN GLASS RENOVATOR

Precautionary statements:P102: Keep out of reach of children.P282: Wear eye protection.P280: Wear protective gloves.P264: Wash hands thoroughly after handling.P273: Avoid release to the environment.P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Removecontact lenses, if present and easy to do. Continue rinsing.P337+313: If eye irritation persists: Get medical attention.P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinseskin with water/shower.P332+313: If skin irritation occurs: Get medical attention.P362: Take off contaminated clothing.P391: Collect spillage.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1-10%
SODIUM HYPOCHLORITE SOLUTION CL ACTIVE				
231-668-3	7681-52-9	-	Skin Corr. 1B: H314; Aquatic Acute 1:	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Ş	Skin contact:	: Wash immediately with plenty of soap and water. Remove all contaminated clothes and		
		footwear immediately unless stuck to skin. Drench the affected skin with running water for 10		
		minutes or longer if substance is still on skin. Transfer to hospital if there are burns or		
		symptoms of poisoning.		
	Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
		examination.		
	Ingention	Week out mouth with water 16 constitute size half a little of water to drive immediately.		

H400; -: EUH031

Ingestion: Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Page: 2

MERLIN GLASS RENOVATOR

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Severe burns may occur.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Avoid all incompatible materials in clean-up procedure - see section 10 of SDS. Transfer to a suitable container.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

Specific end use(s): No data available.

MERLIN GLASS RENOVATOR

Page: 4

Section 8: Exposure controls/personal protection 8.1. Control parameters Hazardous ingredients: SODIUM HYDROXIDE Workplace exposure limits: **Respirable dust** State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 2 mg/m3 -_ SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE UK 1.5mg/m3 _ -_ **DNEL/PNEC** Values DNEL / PNEC No data available. 8.2. Exposure controls Hand protection: Gloves (alkali-resistant). Breakthrough time of the glove material > 1 hour. Eye protection: Safety glasses with side-shields. Skin protection: Alkali resistant protective clothing. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Pale yellow Odour: Characteristic odour Evaporation rate: Moderate Oxidising: Not applicable. Solubility in water: Soluble Viscosity: Non-viscous Boiling point/range°C: 100 Melting point/range°C: 0 Flammability limits %: lower: Not applicable. upper: Not applicable. Flash point°C: Not applicable. Part.coeff. n-octanol/water: Not applicable. Autoflammability°C: Not applicable. Vapour pressure: Not applicable. Relative density: 1.08 **pH:** 13.5 VOC g/l: 0 9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

MERLIN GLASS RENOVATOR

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

10.5. Incompatible materials

Materials to avoid: Acids.

10.6. Hazardous decomposition products

Haz. decomp. products: Contact with acids liberates toxic gas. In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE

ORL RAT I	LD50	750	mg/kg
-----------	------	-----	-------

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Severe burns may occur.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

MERLIN GLASS RENOVATOR

Page: 6

Hazardous ingredients:

SODIUM HYPOCHLORITE SOLUTION100% CL ACTIVE			
	LC100	1 mg/l	
12.2. Persistence and degrada	bility	· · ·	
Persistence and degradability:	Biodegradable.		
12.3. Bioaccumulative potentia	l		
Bioaccumulative potential:	No bioaccumulation potential.		
12.4. Mobility in soil			
Mobility:	Soluble in water.		
12.5. Results of PBT and vPvB	assessment		
PBT identification:	This product is not identified as a PBT/vPvB subs	tance.	
12.6. Other adverse effects			
Section 13: Disposal considerations			
13.1. Waste treatment methods	3		
Disposal of packaging:	Dispose of as normal industrial waste.		
NB:	The user's attention is drawn to the possible exist	ence of regional or national regulations	
	regarding disposal.		
Section 14: Transport information			
14.1. UN number			
UN number:	UN1719		
14.2. UN proper shipping name			

Shipping name: CAUSTIC ALKALI LIQUID, N.O.S.

(SODIUM HYDROXIDE 5 %)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

MERLIN GLASS RENOVATOR

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH031: Contact with acids liberates toxic gas.
	H314: Causes severe skin burns and eye damage.
	H400: Very toxic to aquatic life.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and
	shall be used only as a guide. This company shall not be held liable for any damage resulting
	from handling or from contact with the above product.