:

Version: 10.0

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 15/06/2015 Revision date: 05/06/2015

MERLIN PURPLE BEERLINE CLEANER

I.1. Product identifier	substance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: MERLIN PURPLE BEERLINE CLEANER
ype of product	: Technical product
.2. Relevant identified uses of the	substance or mixture and uses advised against
.2.1. Relevant identified uses	
Main use category	: Professional use
ndustrial/Professional use spec	: For professional use only
Jse of the substance/mixture	Disinfecting and cleaning of beerlines and pipelines in the food industry
I.2.2. Uses advised against	
No additional information available	
	statu data abaat
1.3. Details of the supplier of the sa DXFORD CITY SUPPLIES	UNIT 6 CENTREMEAD, OSNEY MEAD INDUSTRIAL EST, OXFORD, OX2 0ES, UNITED KINGDOM
	Tel: 01865 722 104 Fax: 01865 790 543 Email: sales@oxfordcitysupplies.com
.4. Emergency telephone number	
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01865 722 104
SECTION 2: Hazards identification	on
2.1. Classification of the substance	or mixture
Classification according to Regulation (I	EC) No. 1272/2008 [CL P]
Skin Corr. 1A H314	
Aquatic Chronic 3 H412	
Full text of H-phrases: see section 16	
2.2. Label elements	
	No. 1272/2008 [CL P]
Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]
	No. 1272/2008 [CLP]
Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]
_abelling according to Regulation (EC) N	No. 1272/2008 [CLP]
abelling according to Regulation (EC) N	No. 1272/2008 [CLP]
abelling according to Regulation (EC) N	No. 1272/2008 [CLP]
Labelling according to Regulation (EC) N Hazard pictograms (CLP)	
Labelling according to Regulation (EC) N Hazard pictograms (CLP)	: GHS05
abelling according to Regulation (EC) N lazard pictograms (CLP) Signal word (CLP) lazardous ingredients	: GHS05 : Danger
Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	: GHS05 : Danger : sodium hydroxide, caustic soda : H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects
Labelling according to Regulation (EC) N	 GHS05 Danger sodium hydroxide, caustic soda H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects P264 - Wash hands thoroughly after handling P273 - Avoid release to the environment
Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : GHS05 : Danger : sodium hydroxide, caustic soda : H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects : P264 - Wash hands thoroughly after handling P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves
abelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : With the initial equation of the initial equation of the initial equation of the initial equation is the initial equation of the initial equation is the initial equation of the initial equation is the initial equation is the environment in the environment is the enviro
abelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : i i i i i i i i i i i i i i i i i i
abelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 : With the initial equation of the initial equation of the initial equation of the initial equation is the initial equation of the initial equation is the initial equation of the initial equation is the initial equation is the environment in the environment is the enviro
Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 GHS05 Danger sodium hydroxide, caustic soda H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects P264 - Wash hands thoroughly after handling P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
abelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	 GHS05 Danger sodium hydroxide, caustic soda H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects P264 - Wash hands thoroughly after handling P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P315 - Get immediate medical advice/attention
abelling according to Regulation (EC) N lazard pictograms (CLP) Signal word (CLP) lazardous ingredients lazard statements (CLP)	 GHS05 Danger sodium hydroxide, caustic soda H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects P264 - Wash hands thoroughly after handling P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
abelling according to Regulation (EC) N lazard pictograms (CLP) Signal word (CLP) lazardous ingredients lazard statements (CLP)	 : i i i i i i i i i i i i i i i i i i

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Document generated @ 15/06/2015 19:51:41

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6	5 - 15	C; R35	Skin Corr. 1A, H314
sodium hypochlorite, solution % Cl active	(CAS No) 7681-52-9 (EC no) 231-668-3 (EC index no) 017-011-00-1	1 - 5	C; R34 R31 N; R50	Skin Corr. 1B, H314 Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns.
	attention and special treatment needed
Treat symptomatically.	attention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the sub	ostance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	nt and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exposu	are controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	

Precautions for safe handling	:	Avoid contact with skin and eyes.
Hygiene measures	:	Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, inclu	.2. Conditions for safe storage, including any incompatibilities				
Technical measures	: Does not require any specific or particular technical measures.				
Storage conditions	: Keep container closed when not in use.				
Incompatible products	: Oxidizing agent. Strong acids.				
Incompatible materials	: Metals.				
Special rules on packaging	: Keep only in original container.				
7.3. Specific end use(s)					

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Materials for protective clothing

Hand protection

Eye protection

Skin and body protection

Respiratory protection



: Not required for normal conditions of use

- : Protective gloves
- : Safety glasses
- : Not required for normal conditions of use
- : Not required for normal conditions of use

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	he	mical properties
Physical state	:	Liquid
Appearance	:	Liquid.
Colour	:	Purple.
Odour	:	chlorine-like.
Odour threshold	:	No data available
рН	:	13
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	1.18
Solubility	:	No data available
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available
0.0 Others information		

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTIC	DN 10: Stability and reactivity			
10.1.	Reactivity			
No additio	No additional information available			
10.2.	Chemical stability			
Stable under normal conditions.				
10.3.	Possibility of hazardous reactions			
No additional information available				
10.4.	Conditions to avoid			
No additional information available				
10.5.	Incompatible materials			
metals.				
10.6.	Hazardous decomposition products			

No additional information available

SECTION 11: Toxicological information	tion
11.1. Information on toxicological effects	3
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 13
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information	
12.1.	Toxicity	
No add	itional information available	
12.2.	Persistence and degradability	
No add	itional information available	
12.3.	Bioaccumulative potential	
No add	itional information available	
12.4.	Mobility in soil	
No add	itional information available	
12.5.	Results of PBT and vPvB assessment	t
No add	itional information available	
12.6.	Other adverse effects	
No add	itional information available	
SECT	ION 13: Disposal considerations	\$
13.1.	Waste treatment methods	
No add	itional information available	
SECT	ION 14: Transport information	
In acco	rdance with ADR / RID / IMDG / IATA / ADN	Ν
14.1.	UN number	
UN-No.	(ADR)	: 3266

Safety Data Sheet

ccording to Regulation (EC) No. 453/2010	
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Transport document description (ADR)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE), 8, III, (E)
Transport document description (IMDG)	: UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8
	: Â
	8
IMDG	
Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	. o : 8
Danger labels (IMDG)	. 0
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8
	8
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 111
Packing group (IATA)	
14.5. Environmental hazards	: No
Dangerous for the environment	
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5L
	·

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80 3266
Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B
- Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L
	Nex II of MARPOL 73/78 and the IBC Code
IBC code	: Not applicable.
SECTION 15: Regulatory informatio	
15.1. Safety, health and environmental re	egulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Safety Data Sheet

according to Regulation (EC) No. 453/2010

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H314	Causes severe skin burns and eye damage
H400	Very toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product