

Lifeguard Cleaner Disinfectant Conc

Revision: 2014-02-06

Version: 02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Lifeguard Cleaner Disinfectant Conc

Lifeguard® Used under authority from S.C. Johnson & Son Inc., Racine, Wisconsin, U.S.A.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P305 - Sanitary cleaner. Manual process

AISE-P306 - Sanitary cleaner. Spray and wipe manual process

AISE-P314 - Surface disinfectant. Manual process

AISE-P315 - Surface disinfectant. Spray and rinse manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Ltd

Contact details

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Directive 1999/45/EC and corresponding national legislation.

Indication of danger

Xi - Irritant

Risk phrases:

R36 - Irritating to eyes.

2.2 Label elements



Xi - Irritant

Risk phrases:

R36 - Irritating to eyes.

Safety phrases:

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Further indications on the label:

Rinse and dry hands after use. For prolonged contact, protection for the skin may be necessary.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

Lifeguard Cleaner Disinfectant Conc

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Classification (EC) 1272/2008	Notes	Weight percent
alkyl alcohol ethoxylate	Polymer*	68439-46-3	[4]	Xn;R22 Xi;R41	Eye Dam. 1 (H318) Acute Tox. 4 (H302)		3-10
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	01-2119486762-27	Xn;R20/22 Xi;R41	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Met. Corr. 1 (H290)		1-3
alkyldimethylbenzylammonium chloride	270-325-2	68424-85-1	No data available	Xn;R21/22 C;R34 N;R50	Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Acute Tox. 4 (H302) Acute Tox. 4 (H312)		1-3

* Polymer.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures**4.1 Description of first aid measures****Inhalation**

Remove from source of exposure. Get medical attention.

Skin contact:

Not required under normal use. If irritation develops get medical attention. Rinse with plenty of water.

Eye contact:

Wash off immediately with plenty of water. Get medical attention.

Ingestion:

Remove material from mouth. Immediately drink 1-2 glasses of water or milk. Get medical attention.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

Causes irritation.

Skin contact:

Unlikely to be irritant in normal use.

Eye contact:

Causes irritation.

Ingestion:

Causes irritation.

Sensitisation:

No known effects.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

Lifeguard Cleaner Disinfectant Conc

7.1 Precautions for safe handling**Advice on safe handling:**

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey. For advice on general occupational hygiene see subsection 8.2. For environmental exposure controls see subsection 8.2. For incompatible materials see subsection 10.5.

Prevention of fire and explosion:

No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage rooms / facilities:**

In accordance with local and national regulations.

Combined storage in storage rooms / facilities:

In accordance with local and national regulations. For incompatible materials see subsection 10.5.

Basic storage conditions

Store in original container. Keep container tightly closed. For conditions to avoid see subsection 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	No data available	No data available	No data available	25
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	No data available	No data available	No data available	No data available
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	No data available	No data available	No data available	No data available
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	2.5	2.5	No data available	No data available
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	1.5	1.5	No data available	No data available
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Lifeguard Cleaner Disinfectant Conc

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	No data available	No data available	0.72	No data available
alkyldimethylbenzylammoniumchloride	No data available	No data available	No data available	No data available

8.2 Exposure controls**General health and safety measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and at the end of workday. Avoid contact with eyes.

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product.
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 10

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Blue
Odour: Slightly perfumed
Odour threshold: Not applicable
pH: ≈ 10 (neat)
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 232.2	Method not given	
tetrasodium ethylene diamine tetraacetate	100	Method not given	
alkyldimethylbenzylammoniumchloride	> 107	Method not given	

Method / remark

Lifeguard Cleaner Disinfectant Conc

Flash point (°C): Not applicable.
Sustained combustion: Not determined
Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	< 10	Method not given	37.8
tetrasodium ethylene diamine tetraacetate	600	Method not given	25
alkyldimethylbenzylammoniumchloride	2300	Method not given	20

Method / remark

Vapour density: Not determined
Relative density: 1.07 g/cm³ (20°C)
Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	100 Soluble	Method not given	
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
alkyldimethylbenzylammoniumchloride	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not determined
Viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals (according to IMDG/ADR regulation): Not determined

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixtures

No test data is available on the mixture

Substance data, where relevant and available, are listed below.

Acute toxicity

Lifeguard Cleaner Disinfectant Conc

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	300 - 2000		Method not given	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	>= 1780	Rat	Non guideline test	
alkyldimethylbenzylammoniumchloride	LD ₅₀	398	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	2000 - 5000	Rat	Method not given	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	> 5000	Rabbit	Method not given	
alkyldimethylbenzylammoniumchloride	LD ₅₀	800 - 1420	Rat	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
tetrasodium ethylene diamine tetraacetate	LC ₅₀	>= 1	Rat	OECD 403 (EU B.2)	6
alkyldimethylbenzylammoniumchloride		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant		Method not given	
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	Non guideline test	
alkyldimethylbenzylammoniumchloride	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
alkyldimethylbenzylammoniumchloride	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
alkyldimethylbenzylammoniumchloride	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyldimethylbenzylammoniumchloride	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
alkyldimethylbenzylammoniumchloride	No data available			

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80 - 400		Method not given		
tetrasodium ethylene diamine tetraacetate		No data available				
alkyldimethylbenzylammoniumchloride		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)	90	
tetrasodium ethylene diamine tetraacetate		No data available				

Lifeguard Cleaner Disinfectant Conc

alkyldimethylbenzylammoniumchloride		No data available				
-------------------------------------	--	-------------------	--	--	--	--

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
alkyldimethylbenzylammoniumchloride		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate			No data available					
tetrasodium ethylene diamine tetraacetate			No data available					
alkyldimethylbenzylammoniumchloride			No data available					

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mixture data:

Based on available data, the classification criteria are not met.

Substance data, where relevant and available:

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
alkyldimethylbenzylammoniumchloride	No data available

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	OECD 473	No data available	
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
alkyldimethylbenzylammoniumchloride	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
alkyldimethylbenzylammoniumchloride			No data available				

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

Mixtures

No test data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	5 - 7	Fish	92/69/EEC, C1, semi-static	96
tetrasodium ethylene diamine tetraacetate	LC ₅₀	> 100	Lepomis macrochirus	OPP 72-1, static (EPA)	96
alkyldimethylbenzylammoniumchloride	LC ₅₀	0.85	Fish	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

Lifeguard Cleaner Disinfectant Conc

alkyl alcohol ethoxylate	EC ₅₀	5.3	Daphnia	92/69/EEC	48
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	Daphnia magna Straus	DIN 38412, Part 11	48
alkyldimethylbenzylammoniumchloride	EC ₅₀	0.02	Daphnia	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1.4 - 47	Not specified	92/69/EEC	72
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	Scenedesmus obliquus	88/302/EEC, Part C, static	72
alkyldimethylbenzylammoniumchloride	EC ₅₀	0.06	Pseudokirchneriella subcapitata	OECD 201	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
tetrasodium ethylene diamine tetraacetate		No data available			
alkyldimethylbenzylammoniumchloride		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₅₀	> 140	Bacteria	Method not given	3 hour(s)
tetrasodium ethylene diamine tetraacetate	EC ₂₀	> 500	Activated sludge	OECD 209	0.5 hour(s)
alkyldimethylbenzylammoniumchloride	EC ₂₀	10	Activated sludge	OECD 209	0.5 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC ₁₀	8.983	Not specified	Method not given	21 day(s)	
tetrasodium ethylene diamine tetraacetate	NOEC	>= 36.9	Brachydanio rerio	OECD 210	35 day(s)	
alkyldimethylbenzylammoniumchloride		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC ₁₀	2.579	Daphnia sp.	Method not given	21 day(s)	
tetrasodium ethylene diamine tetraacetate	NOEC	25	Daphnia magna	OECD 211	21 day(s)	
alkyldimethylbenzylammoniumchloride		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
alkyldimethylbenzylammoniumchloride		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	LD ₅₀	156	Eisenia fetida	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

Terrestrial toxicity - birds, if available:

Lifeguard Cleaner Disinfectant Conc

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate			60 % in 28 day(s)	Method not given	Readily biodegradable
tetrasodium ethylene diamine tetraacetate					Readily biodegradable
alkyldimethylbenzylammoniumchloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
tetrasodium ethylene diamine tetraacetate	-13	Method not given	No bioaccumulation expected	
alkyldimethylbenzylammoniumchloride	0.5 - 1.58	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
tetrasodium ethylene diamine tetraacetate	1.8	Lepomis macrochirus	Method not given	Low potential for bioaccumulation	
alkyldimethylbenzylammoniumchloride	0.5		Method not given	No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
alkyldimethylbenzylammoniumchloride	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

Lifeguard Cleaner Disinfectant Conc

ADR, RID, ADN, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

Class: -

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, phosphates

5 - 15%

EDTA and salts thereof

< 5%

disinfectants, perfumes, Linalool, Butylphenyl Methylpropional, Hexyl Cinnamal, Limonene, Citronellol

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

MSDS code: MSDS4552

Version: 02

Revision: 2014-02-06

Reason for revision:

Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3:

- R41 - Risk of serious damage to eyes.
- R22 - Harmful if swallowed.
- R34 - Causes burns.
- R50 - Very toxic to aquatic organisms.
- R36 - Irritating to eyes.
- R20/22 - Harmful by inhalation and if swallowed.
- R21/22 - Harmful in contact with skin and if swallowed.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H332 - Harmful if inhaled.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet