

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Diversey Bourne Traffic Liquid Wax

Revision: 2014-02-06

Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Diversey Bourne Traffic Liquid Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For professional use only. AISE-P406 - Polish/Impregnating agent. Manual process Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Ltd

Contact details

Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Directive 1999/45/EC and corresponding national legislation.

Indication of danger

Xn - Harmful

Risk phrases:

- R10 Flammable.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

2.2 Label elements



Contains naphtha (petroleum), hydrotreated heavy

Risk phrases:

- R10 Flammable. R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

Safety phrases:

- S23c Do not breathe vapour.
- S24 Avoid contact with skin.
- S51 Use only in well-ventilated areas.
- S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Classification (EC) 1272/2008	Notes	Weight percent
naphtha (petroleum), hydrotreated heavy	265-150-3	64742-48-9	No data available	R10-66 Xn;R65	Asp. Tox. 1 (H304) Flam. Lig. 3 (H226)		>= 75
, ,				,	(EUH066)		

* Polymer

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16. Workplace exposure limit(s), if available, are listed in subsection 8.1. [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Remove from source of exposure. Get medical attention.
Skin contact:	Rinse with plenty of water. Take off all contaminated clothing immediately. If irritation develops get medical attention.
Eye contact:	Wash off immediately with plenty of water. Get medical attention.
Ingestion:	Do NOT induce vomiting. Keep at rest. Get medical attention immediately.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	Can cause irritation. Narcotic if high concentrations of vapour inhaled.
Skin contact:	Repeated exposure may cause skin dryness or cracking.
Eye contact:	Unlikely to be irritant in normal use.
Ingestion:	Dangerous if aspiration into lungs occurs.
Sensitisation:	No known effects.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Sand. Alcohol-resistant foam. Do not use water.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Ensure adequate ventilation. Do not breathe dust or vapour.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey. Use only with adequate ventilation. For advice on general occupational hygiene see subsection 8.2. For environmental exposure controls see subsection 8.2. For incompatible materials see subsection 10.5.

Diversey Bourne Traffic Liquid Wax

Prevention of fire and explosion:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms / facilities:

In accordance with local and national regulations.

Combined storage in storage rooms / facilities:

In accordance with local and national regulations. For incompatible materials see subsection 10.5.

Basic storage conditions

Store in original container. Keep container tightly closed. For conditions to avoid see subsection 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure DNEL oral exposure - Consumer (mg/kg bw)

Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
effects	effects	effects	effects

	enecia	enecta	enecia	enecta
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC				
Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment
	(mg/l)	(mg/l)		plant (mg/l)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available

8.2 Exposure controls

General health and safety measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Take off immediately all contaminated clothing. Wash hands before breaks and at the end of workday. Do not breathe gases, vapour, spray or aerosols. Use only in well-ventilated areas. Avoid contact with skin and eyes.

Diversey Bourne Traffic Liquid Wax

The following information applies for the uses indicated in subsection 1.2. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: Appropriate organisational controls:	No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment	
Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid Colour: Milky, Pale, Yellow Odour: Slightly perfumed Odour threshold: Not applicable pH: Not applicable. (neat) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
naphtha (petroleum), hydrotreated heavy	No data available		

Flash point (°C): ≈ 40
Sustained combustion: This product with a flashpoint between 21°C and 60°C supports combustion
Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)		
naphtha (petroleum), hydrotreated heavy	No data available		

Method / remark

Method / remark

Vapour density: Not determined Relative density: 0.77 g/cm³ (20°C) Solubility in / Miscibility with Water: Not miscible or difficult to mix

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
naphtha (petroleum), hydrotreated heavy	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not determined Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising. Method / remark

Method / remark closed cup

UN Manual of Tests and Criteria, section 32, L.2

Page 4 / 9

9.2 Other information Surface tension (N/m): Not determined Corrosion to metals (according to IMDG/ADR regulation): Not determined

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects Mixtures

No test data is available on the mixture

Substance data, where relevant and available, are listed below.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			

	In gradiant(a)
Eye irritation and corrosivity	

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			

Respiratory tract irritation and corrosivity

ingredient(S)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy No	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			

Repeated dose toxicity

2	ub-acute of sub-chilonic oral toxicity						
	Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
			(mg/kg bw/d)			time (days)	affected
	naphtha (petroleum), hydrotreated heavy		No data				
			available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
naphtha (petroleum), hydrotreated heavy		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
naphtha (petroleum), hydrotreated heavy		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
naphtha (petroleum), hydrotreated heavy			No data available					

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mixture data:

Based on available data, the classification criteria are not met.

.

Substance data, where relevant and available:

Carcinogenicity

Ingredient(s)	Effect
naphtha (petroleum), hydrotreated heavy	No data available

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
naphtha (petroleum), hydrotreated heavy	No data available		No data available	

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
naphtha (petroleum),			No data				
hydrotreated heavy			available				

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

Mixtures

No test data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Aquatic short-term toxicity - fish					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			

Aquatic short-term toxicity - marine species

Exposure

Diversey Bourne Traffic Liquid Wax

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
naphtha (petroleum), hydrotreated heavy		No data			
		available			

Impact on sewage plants - toxicity to bacteria				
Ingredient(s)	Endpoint	Value	Inoculum	Method

	 (mg/l)		time
naphtha (petroleum), hydrotreated heavy	No data available		

Aquatic long-term toxicity

Aquatic long-term toxicity - fish						
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
naphtha (petroleum), hydrotreated heavy		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
naphtha (petroleum), hydrotreated heavy		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available

	Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Γ	naphtha (petroleum), hydrotreated heavy		No data				
			available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
naphtha (petroleum), hydrotreated heavy					No data available

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
naphtha (petroleum), hydrotreated	No data available			
heavy				

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
naphtha (petroleum),	No data available				
hydrotreated heavy					

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment					
Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
naphtha (petroleum), hydrotreated heavy	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:	The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	16 03 05* - organic wastes containing dangerous substances.
Empty packaging Recommendation:	Dispose of observing national or local regulations.

SECTION 14: Transport information



ADR, RID, ADN, IMO/IMDG, ICAO/IATA 14.1 UN number: 3295 14.2 UN proper shipping name: Hydrocarbons, liquid, n.o.s. (naphtha) 14.3 Transport hazard class(es): Class: 3

Label(s): 3

- 14.4 Packing group: III
- 14.5 Environmental hazards: Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Other relevant information: ADR Classification code: F1 Tunnel restriction code: D/E Hazard identification number: 30

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

MSDS code: MSDSGB6763

Version: 01

Revision: 2014-02-06

Reason for revision:

Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3:

R66 - Repeated exposure may cause skin dryness or cracking

• R10 - Flammable.

R65 - Harmful: may cause lung damage if swallowed.

Diversey Bourne Traffic Liquid Wax

- EUH066 Repeated exposure may cause skin dryness or cracking.
 H226 Flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.

- Abbreviations and acronyms: AISE The international Association for Soaps, Detergents and Maintenance Products DNEL Derived No Effect Limit EUH CLP Specific hazard statement PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No Effect Concentration REACH number REACH registration number, without supplier specific part vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet