

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 1

Compilation date: 14/08/2014

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Product code: 019.170

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: Oxford City Supplies Ltd

Unit 6 Centremead

Osney Mead Industrial Estate

Oxford

Oxfordshire OX2 0ES

United Kingdom

Tel: +44 (0) 1865 722 104

Fax: +44 (0) 1865 790 543

Email: sales@oxfordcitysupplies.com

1.4. Emergency telephone number

Emergency tel: NHS Direct:08454647,NHS24:0845242424,ROI:018092166

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R38; Xi: R41; N: R50

Most important adverse effects: Irritating to skin. Risk of serious damage to eyes. Very toxic to aquatic organisms.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: Irritant.

Dangerous for the environment.





Risk phrases: R38: Irritating to skin.

R41: Risk of serious damage to eyes. R50: Very toxic to aquatic organisms.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 2

advice.

S39: Wear eye / face protection.

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

Precautionary phrases: Use biocides safely. Always read the label and product information before use.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	69011-36-5	Xn: R22; Xi: R41	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
QUATERNARY A	AMMONIUM CON	MPOUNDS, BENZYL (C12-C16)ALKYL I	DIMETHYL CHLORIDES	
270-325-2	68424-85-1	C: R34; Xn: R22; N: R50	Met. Corr. 1: H290; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Acute Tox. 4: H302	1-10%
DIDECYLDIMET	HYLAMMONIUM	CHLORIDE		
230-525-2	7173-51-5	Xn: R22; C: R34	Acute Tox. 4: H302; Skin Corr. 1B: H314	1-10%
C9/11 A, >3-6 E	O PREDOMINAN	TLY LINEAR (DID 21)		
POLYMER	160875-66-1	Xi: R41	Eye Dam. 1: H318	1-10%
ALCOHOLS, C1	2-C14, ETHOXYL	ATED		
POLYMER	68439-50-9	Xi: R41: N: R50	Aguatic Acute 1: H400; Eye Dam. 1:	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Transfer to hospital if there are burns or

symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to

H318

drink immediately. Consult a doctor.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be pain and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up

to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 4

8.2. Exposure controls

Hand protection: Protective gloves.Eye protection: Safety glasses.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Blue

Odour: Barely perceptible odour

Evaporation rate: Not applicable.

Oxidising: Not applicable.

Solubility in water: Soluble

Viscosity: Non-viscous

Boiling point/range°C: 100 Melting point/range°C: 0

Flammability limits %: lower: Not applicable. upper: Not applicable.

Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable.

Vapour pressure: Not applicable. Relative density: 1.005

pH: 9 **VOC g/l**: 0

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 5

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE, POLYMER (8 MOLE EO AVERAGE)

ORAL	RAT	LD50	500-2000	mg/kg

QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES

ORAL	RAT	LD50	705	ma/ka
OIVAL	11/71	LD30	195	ilig/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	658	mg/kg

C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

ORL	RAT	LD50	>2000	ma/ka
OIL		LDOU	- 2000	mg/ng

ALCOHOLS, C12-C14, ETHOXYLATED

ORL	RAT	LD50	>5000	ma/ka
OKL	INAT	LD50	/5000	ilig/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be pain and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Delayed / **immediate effects:** Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE, POLYMER (8 MOLE EO AVERAGE)

FIOLI	00111.050	4.40	//
FISH	96H LC50	1-10	mg/l

QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES

Daphnia magna	48H EC50	.016	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	.026	mg/l

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 6

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	.85	mg/l
-------------------------------------	----------	-----	------

DIDECYLDIMETHYLAMMONIUM CHLORIDE

Daphnia magna	48H EC50	0.06	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H LC50	0.12	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.97	mg/l

C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

Scenedesmus	48H EC50	10 - 100	ma/l
Cocheaconiao	1011 = 000	10 100	1119/1

ALCOHOLS, C12-C14, ETHOXYLATED

-	48H EC50	>1-<=10	mg/l
-	48H EC50	>100	mg/l
-	96H LC50	>1-<=10	mg/l
-	96H LC50	>1-<=10	mg/l

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 7

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

R22: Harmful if swallowed.

R34: Causes burns.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R50: Very toxic to aquatic organisms.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

MERLIN CATERING CLEANER SANITISER (SUPER CONC)

Page: 8

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.