REVISION DATE: 22/09/2008 PRODUCT NO::509190



SAFETY DATA SHEET Jeyes Bloo Acticlean Intank Block Original [Single x 12] (JP)

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME

Jeyes Bloo Acticlean Intank Block Original [Single x 12] (JP)

PRODUCT NO. 509190

INTERNAL ID B166 - 00019777 (3 - 08/01/2008)

APPLICATION Toilet bowl cleaning foaming and freshening.

SUPPLIER Jeyes Professional Division Ltd

180-181 Bradkirk Place

Walton Summit Preston Lancashire PR5 8AJ

T 01772 318318 F 01772 318319 technical@jeyes.co.uk

EMERGENCY TELEPHONE 0800 197 5599

CONTAINER SIZE 45g

2 HAZARDS IDENTIFICATION

Irritating to skin. Risk of serious damage to eyes.

CLASSIFICATION Xi;R38, R41.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
SODIUM ALKYLARYLSULPHONATE	246-680-4	25155-30-0	25 - < 30%	Xn;R22. Xi;R38,R41.
SECONDARY ALKANE SULPHONATE	288-330-3	85711-69-9	5 - < 10%	Xn;R22. Xi;R38,R41.
PINE OIL	304-455-9	8002-09-3	5 - < 10%	Xn;R22. Xi;R36.
SODIUM ALPHA-OLEFIN SULPHONATE	270-407-8	68439-57-6	2.5 - < 5%	Xi;R38,R41.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

General first aid, rest, warmth and fresh air.

INGESTION

Immediately rinse mouth and provide fresh air. Get medical attention. Do not induce vomiting. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

SKIN CONTACT

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

REVISION DATE: 22/09/2008 PRODUCT NO.:509190

Jeyes Bloo Acticlean Intank Block Original [Single x 12] (JP)

PERSONAL PRECAUTIONS

Avoid contact with skin and eyes. For personal protection, see section 8.

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Small Spillages No specific clean-up procedure noted. Large Spillages Collect spillage with shovel, broom or the like and reuse, if possible. For waste disposal, see section 13.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Keep away from food, drink and animal feeding stuffs. Store in closed original container at temperatures between 0°C and 30°C.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Rubber gloves are recommended.

EYE PROTECTION

Goggles/face shield are recommended.

HYGIENE MEASURES

Wash hands after handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Solid
COLOUR Blue
ODOUR Pine

SOLUBILITY Soluble in water (slowly)

pH-VALUE, DILUTED SOLUTION 6.0 - 8.0 @ 1%

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

11 TOXICOLOGICAL INFORMATION

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Skin irritation is not anticipated when used normally.

EYE CONTACT

Risk of serious damage to eyes.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be toxic to aquatic organisms.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

REVISION DATE: 22/09/2008 PRODUCT NO.:509190

Jeyes Bloo Acticlean Intank Block Original [Single x 12] (JP)

15 REGULATORY INFORMATION

LABELLING



rritant

RISK PHRASES

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

SAFETY PHRASES

S2 Keep out of the reach of children S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S28 After contact with skin, wash immediately with plenty of water.

S39 Wear eye/face protection.

S46 If swallowed, seek medical advice immediately and show this container or label.

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

16 OTHER INFORMATION

GENERAL INFORMATION

- FOR PROFESSIONAL USE ONLY -

NOTE: THE RISK PHRASES SHOWN BELOW RELATE TO THE INDIVIDUAL RAW MATERIALS IN THE PRODUCT (from section 3), AND NOT THE CLASSIFICATION OF THE PRODUCT ITSELF (this can be found in section 15)

INFORMATION SOURCES

Information from our suppliers and CESIO concerning the classification of Sodium Alkylarylsulphonate in Section 3 is as follows: In preparations containing less than 50% active material, the classification is Xi Irritant with the risk phrase R36/38 Irritating to eyes and skin.

REVISION COMMENTS

Change to section 1

ISSUED BY

Michelle Smith

REVISION DATE 22/09/2008

REV. NO./REPL. SDS GENERATED 2 - 14/02/2007

RISK PHRASES IN FULL

R22 Harmful if swallowed.
R36 Irritating to eyes.
R38 Irritating to skin.

R41 Risk of serious damage to eyes.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.