



SAFETY DATA SHEET

ALUMINIUM SAFE MACHINE WARE WASH

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name ALUMINIUM SAFE MACHINE WARE WASH
Internal Id C847

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier ARROW SOLUTIONS
RAWDON ROAD
MOIRA
SWADLINCOTE
DERBYSHIRE
DE12 6DA
TEL: +44 (0)1283 221044
EMERGENCY: +44 (0) 777 8505 330
FAX: +44 (0)1283 225731
sales@arrowchem.com

1.4. Emergency telephone number

+44 (0) 777 8505 330

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Skin Corr. 1A - H314
Environment	Not classified.

Classification (1999/45/EEC)

C;R35.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains DISODIUM METASILICATE

Detergent Labelling:

5 - < 15%	Phosphonates
< 5%	amphoteric surfactants
	EDTA and salts thereof

Label In Accordance With (EC) No. 1272/2008



Signal Word

Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

ALUMINIUM SAFE MACHINE WARE WASH

Precautionary Statements

P280
P305+351+338
P501a

Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Dispose of contents to an approved disposal site

Supplementary Precautionary Statements

P264
P301+330+331
P303+361+353
P304+340
P310
P363
P405

Wash contaminated skin thoroughly after handling.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Immediately call a POISON CENTER or doctor/physician.
Wash contaminated clothing before reuse.
Store locked up.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

TETRASODIUM 1-HYDROXYETHYLIDENE-1,1-DIPHOSPHONATE		10-30%
CAS-No.: 3994-83-0	EC No.: 223-267-7	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.	
SODIUM SILICATE SOLUTION		10-30%
CAS-No.: 1344-09-8	EC No.: 215-687-4	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.	
DISODIUM METASILICATE		5-10%
CAS-No.: 6834-92-0	EC No.: 229-912-9	
Classification (EC 1272/2008) Skin Corr. 1B - H314 STOT SE 3 - H335	Classification (67/548/EEC) C;R34 Xi;R37	
TETRASODIUM EDTA		1-5%
CAS-No.: 64-02-8	EC No.: 200-573-9	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R41.	

ALUMINIUM SAFE MACHINE WARE WASH

ALKYL IMINOACID SALT 50% SOLN		1-5%
CAS-No.: 94441-92-6	EC No.: 305-318-6	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Xi;R36/38.	
TETRASODIUM GLUTAMATE		1-5%
CAS-No.: 51981-21-6	EC No.: 257-573-7	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.	
SODIUM HYDROXIDE		0-1%
CAS-No.: 1310-73-2	EC No.: 215-185-5	Registration Number: 01-2119457892-27
Classification (EC 1272/2008) Skin Corr. 1A - H314	Classification (67/548/EEC) C;R35	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move into fresh air and keep at rest.

Ingestion

Rinse mouth thoroughly. Do not induce vomiting. Get medical attention.

Skin contact

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention promptly if symptoms occur after washing.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information

Seek medical attention for all burns, regardless how minor they may seem.

Inhalation.

Upper respiratory irritation.

Ingestion

May cause chemical burns in mouth and throat.

Skin contact

Burning pain and severe corrosive skin damage.

Eye contact

Extreme irritation of eyes and mucous membranes, including burning and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

ALUMINIUM SAFE MACHINE WARE WASH

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not discharge onto the ground or into water courses.

6.3. Methods and material for containment and cleaning up

Absorb spillage with non-combustible, absorbent material.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in closed original container at temperatures between 0°C and 40°C.

Storage Class

Corrosive storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
SODIUM HYDROXIDE	WEL				2 mg/m ³	

WEL = Workplace Exposure Limit.

Ingredient Comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Hand protection

Protective gloves must be used if there is a risk of direct contact or splash.

Eye protection

Wear splash-proof eye goggles to prevent any possibility of eye contact.

Hygiene measures

Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

ALUMINIUM SAFE MACHINE WARE WASH

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Straw.
Odour	Characteristic.
Solubility	Completely soluble in water
Relative density	1.22 20°C
pH-Value, Conc. Solution	>11.5

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Exothermic reaction with: Acids.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

The solution is strongly alkaline and reacts with strong acids with heat generation.

10.5. Incompatible materials

Materials To Avoid

Strong acids.

10.6. Hazardous decomposition products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Skin Corrosion/Irritation:

Extreme pH.

≥ 11.5

Corrosive to skin.

Serious eye damage/irritation:

Skin corrosive; corrosivity to eyes is assumed. No testing is needed.

Medical Symptoms

EYES AND MUCOUS MEMBRANES. Extreme irritation of eyes and mucous membranes, including burning and tearing. DIGESTIVE SYSTEM. Severe abdominal pain.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Acute Toxicity - Fish

Not determined.

12.2. Persistence and degradability

Degradability

The product is expected to be biodegradable.

ALUMINIUM SAFE MACHINE WARE WASH

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN) 1760

UN No. (IMDG) 1760

14.2. UN proper shipping name

Proper Shipping Name CORROSIVE LIQUID, N.O.S. (sodium silicate)

14.3. Transport hazard class(es)

ADR/RID/ADN Class Class 8: Corrosive substances.

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group II

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Tunnel Restriction Code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ALUMINIUM SAFE MACHINE WARE WASH

Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations.

Statutory Instruments

Control of Substances Hazardous to Health.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

General information

Only trained personnel should use this material.

Revision 1.0

Date 27/04/2012

Risk Phrases In Full

R34	Causes burns.
R35	Causes severe burns.
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.

Hazard Statements In Full

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.